



# PRECISION POINT Advanced Intestinal Barrier Assessment

DIAGNOSTICS

A "Targeted" Approach to Wellness

9 Dunwoody Park, Suite 121  
Dunwoody, GA 30338  
P: 678-736-6374  
F: 770-674-1701  
Email: [info@precisionpointdiagnostics.com](mailto:info@precisionpointdiagnostics.com)  
[www.precisionpointdiagnostics.com](http://www.precisionpointdiagnostics.com)

**PATIENT INFO**


NAME: John Doe  
REQUISITION ID: 1910080162  
DOB: 12/8/1991  
SAMPLE DATE:  
RECEIVE DATE:  
DRAFT DATE:

**CLINIC INFO**


RESEARCH & DEVELOPMENT  
10 DUNWOODY PARK  
DUNWOODY, GA 30339  
Phone: (123)123-1234  
Fax: (123)123-1234

## ADVANCED INTESTINAL BARRIER ASSESSMENT (PLASMA) | 1/2


**3.20**  
Normal Range: < 3.19 ng/ml  
**NORMAL**




**42.89**  
Normal Range: > 42.9 ng/mL  
**BORDERLINE LOW**



**PENDING**  
Normal Range: < 1.2 ng/mL  
**HIGH**



**N/A**  
Normal Range: > 34.0 ng/mL  
**NORMAL**



A high DAO-to-Histamine ratio suggests that there is sufficient DAO present to degrade any free histamine. Conversely, a low DAO:Histamine ratio may be more indicative of histamine intolerance.

This test has been developed and its performance characteristics determined by Precision Point Diagnostics. It has not been cleared by the U.S. Food and Drug Administration.

PATIENT NAME:

John Doe

REQUISITION ID:

1910080162

DRAFT DATE:

## ADVANCED INTESTINAL BARRIER ASSESSMENT (PLASMA) | 2/2

**0.59**

Normal RANGE: 0.83-4.47 µg/mL

**LOW**

**LPS IgA**



**9.09**

Normal RANGE: 9.09-31.5 µg/mL

**BORDERLINE LOW**

**LPS IgG**



**2.51**

Normal RANGE: 2.5-9.4 µg/mL

**NORMAL**

**LPS IgM**



This test has been developed and its performance characteristics determined by Precision Point Diagnostics. It has not been cleared by the U.S. Food and Drug Administration.